

**GOVT. MEDICAL COLLEGE & HOSPITAL, CHANDIGARH**  
**Sector 32-B, Chandigarh-160030 Tel. 0172- 2665454-57, Fax NO. 0172-2608488**

**Subject: Quotation**

Please quote your rate and other terms and conditions for Speakers & Amplifier (Specifications Attached) with certificates that the rates quoted are not higher than those quoted to other departments / Institution.

**Quotation for Speakers & Amplifier due on 30.07.2010**

<b>Items</b>	<b>Quantity</b>
Speakers	9
Amplifier	1
Wire with PVC Batten (200m approx.)	

**Other terms and conditions of the supply will be as under:-**

- 1. Sales tax will be paid extra, if applicable provided it is made clear in the quotation that sale tax will be charged extra. Otherwise it will be presumed that sale tax is not to be paid extra. Similar will be in case of Excise duty.**
- 2. The rates must be quoted for Chandigarh otherwise the quotation is likely to be rejected.**
- 3. The rates should be quoted both in words and figures, failing which the quotation will not be considered.**
- 4. Validity period for each item may please be specifically mentioned in your quotation (which should be atleast for one year)**
- 5. Delivery period for each item may please be specifically mentioned in your quotation, which should not more than 30 days.**
- 6. The quotation may be addressed to Director Principal, Govt. Medical College Hospital, Sector-32 Chandigarh.**
- 7. A Penalty of 5% per month will be deducted for belated supplies and the event of non- supply the name of the firm will be removed from mailing list.**
- 8. The sealed quotation may be submitted to Deputy Medical Superintendent, 2<sup>nd</sup> Level, Block -D, GMCH-32, Chandigarh.**

**This may please be treated as MOST URGENT and your reply/quotation should reach this office by 30.07.2010**

**Deputy Medical Superintendent  
Govt. Medical College & Hospital  
Chandigarh**

## Specifications for Amplifier

POWER OUTPUT	110W RMS Max., 80W RMS at 10% THD 75W RMS at 5% THD, 60W RMS at 2% THD
OUTPUT REGULATIONS	Ω2 dB, no load to full load at 1kHz
INPUT CHANNELS	5 x Mic 0.65mV/4.7kΩ, 2 x Aux 100mV/470kΩ
FREQUENCY RESPONSE	65-15,000Hz ±3dB
SIGNAL TO NOISE RATIO	60dB
TONE CONTROLS	Bass: -10dB at 100Hz, Treble: -10dB at 10kHz
OUTPUTS	Preamp 200mV/600Ω
SPEAKER OUTPUTS	4Ω, 8Ω, 16Ω, 70V & 100V
POWER SUPPLY	AC: 220-240V 50/60Hz

- Should have 3 Mic & Aux Inputs.
- Should have Preamplifier Output for connecting to a Booster Amplifier and for recording the programme.
- Should have Cut type Bass & Treble controls.
- Should have Instant transfer to DC power (Car Battery) if AC power fails.

## Specifications for Wall Mounted Speakers

Input Power	6W RMS
Power Taps on 100V	6/3/1.5W
Impedance	1.6k/3.3k/6.6kΩ
Frequency Response	60-15,000Hz
SPL at 1kHz (1W/1m)	92dB

- Should made of High quality ABS
- 6" Full Range Speaker, 6W/100V.
- Should have Key holes for easy wall mounting.
- Should have Power tap selection on 100V through female receptacle (push fit).
- Should have Additional 12 position rotary switch for

The cost of the wire to be quoted in :- Length / meter ( Approx 200 m<sup>3</sup> ) with PVC batten

The cost of complete installation of unit to be quoted separately

Guarantee / warranty period to be mentioned

CAMC for two years after expiry of ~~one~~ warranty