

6360
07/06/18

Search Mails

①
Hi Medical Superintendent
Endorsement_2016-2.docx

Inbox : Read Mail

Preview Format | Show Full Headers

Reply Reply All Forward Delete

Move to folder... Move

From: PS/DP <dpgmch-chd@gmch.gov.in> | Add to Address book | This is spam

To: "MS. Office" <mshgmch@rediffmail.com>

Subject: Fwd: Regarding the Gazette Notification of Minimum Standards of Medical Diagnostic Laboratories (or Pathological Laboratories) under Clinical Establishments Act, 2010

Date: Tue, 05 Jun 2018 11:42:40 IST

Cc: BS Chavla <drbhatnagar@gmail.com>

Go to Attachments | Download all attachments

----- Original Message -----

From: cea chd <ceachd@gmch.gov.in>

Date: Jun 4, 2018 3:08:33 PM

Subject: Regarding the Gazette Notification of Minimum Standards of Medical Diagnostic Laboratories (or Pathological Laboratories) under Clinical Establishments Act, 2010

To: "MS. Office" <mshgmch@rediffmail.com>, Neeraj Kumar <neeraj.kumar@gmch.gov.in>

<drbhatnagar@gmail.com>, ZoneOne Incharge <zone1incharge@gmch.gov.in>

zone1incharge@gmch.gov.in, Rajinder Rana <rajinder.rana@gmch.gov.in>

<aman.deep@gmch.gov.in>, Aman Deep <aman.deep@gmch.gov.in>, Aman Deep <aman.deep@gmch.gov.in>

<aman.deep@gmch.gov.in>, drs chandigarh <drs.chandigarh@gmch.gov.in>, "Vandana D E D" <vandana.ded@gmch.gov.in>

<zone1incharge@gmch.gov.in>, zone1incharge@gmch.gov.in, Jagpreet <jagpreet@gmch.gov.in>

<paraminder.kaur@gmch.gov.in>, paraminder.kaur@gmch.gov.in, zone2incharge@gmch.gov.in, Mandeep Kaur <mandeep.kaur@gmch.gov.in>

<zone2incharge@gmch.gov.in>, zone2incharge@gmch.gov.in, Muhammad Salim <muhammad.salim@gmch.gov.in>

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

<zone3incharge@gmch.gov.in>, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in, zone3incharge@gmch.gov.in

5.6
276

Get it now!
1206 EA2

6 JUN 2018



Bachini Brown
Lace Up Formal
Shoes For Mens

Rs. 499
Cash on delivery available

rediff.com

Respected Ma'am/Sir,

In reference to the above mentioned subject,

Kindly find the enclosed Letter and the copy of Gazette Notification of Minimum Standards of Medical Diagnostic Laboratories (or Pathological Laboratories) under Clinical Establishments Act, 2010.

Thanks & Regards,
Incharge,
Clinical Establishment Department,
U.T.Chandigarh

Anil Kumar Moudgil,
(LLB, LL.M, PGPM&IR, DSP, CCY)
Pvt. Secretary to Director-Principal, GMCH, Chd.
Nodal Officer, Centralized Public Grievance
Redress & Monitoring System
Tel : 2676037 Fax 2609360
Mobile : 9648023209

Notification_Minimum_Standards_Medical_Diagnostic_Laboratories_2_.pdf
(Size: 1985.84 KB)

Handwritten signature and initials.

**GOVERNMENT MEDICAL COLLEGE & HOSPITAL SECTOR-32, CHANDIGARH
HOSPITAL ADMINISTRATION BRANCH-II**

Endst.No.GMCH-HA-II-EA3 (242)/2018/ 21882

Dated:- 20 JUN 2018

A copy is forwarded to the System Analyst, IT Centre, GMCH with a request to e-circulate/email the same to HOD Biochemistry, Microbiology & Pathology GMCH-32, Chandigarh for strict compliance.

Office Superintendent (HA-II)
for Medical Superintendent

2

Letter - Gazette Notification.pdf

(Size 156.26 KB)

[Download Attachment](#)

[Scan For Virus with F-Secure](#)

[Reply](#)

[Reply All](#)

[Forward](#)

[Delete](#)

Move to folder... ▼

[Move](#)

Copyright © 2018 Rediff.com India Limited. All rights reserved.

[Disclaimer](#) | [Privacy Policy](#) | [Help](#) | [Write to us](#)

From

The District Registering Authority-cum-
Director Health Services,
Clinical Establishment Act, 2010,
U.T. Chandigarh

To

- 1) The President,
IMA Complex,
Sector 35 -B,
U. T. Chandigarh
- 2) All the Government Medical Laboratories
U.T. Chandigarh
- 3) All the Registered Private Medical Laboratories
Under CEA, 2010
U.T. Chandigarh

Memo No FW/CEA/2018/ 3725-27
Date Chd .the 30/5/18

Subject: - Regarding the Gazette Notification of Minimum Standards of Medical Diagnostic Laboratories (or Pathological Laboratories) under Clinical Establishments Act,2010

In reference to the above mentioned Subject.

Kindly, find enclosed copy of the Gazette Notification No. G.S.R. 48(E). dated 18th May, 2018 regarding the Minimum Standards of Medical Diagnostic Laboratories (or Pathological Laboratories) under Clinical Establishments Act, 2010.

Further, the egazette link of the notification is available on the link "<http://egazette.nic.in/WriteReadData/2018/185753.pdf>" for your information and necessary action.

Dr. A. G. Dhillon
District Registering Authority-cum-
Director Health Services,
U.T. Chandigarh



भारत का राजपत्र The Gazette of India

असाधारण

EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (i)

PART II—Section 3—Sub-section (i)

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं. 327]

नई दिल्ली, सोमवार, मई 21, 2018/वैशाख 31, 1940

No. 327]

NEW DELHI, MONDAY, MAY 21, 2018/VAISAKHA 31, 1940

स्वास्थ्य और परिवार कल्याण मंत्रालय

(स्वास्थ्य और परिवार कल्याण विभाग)

अधिसूचना

नई दिल्ली, 18 मई, 2018

सा.का.नि. 468(अ).— नैदानिक स्थापना (केंद्रीय सरकार) नियम, 2012 का मंशोधन करने के लिए कनिष्ठ नियमों का प्रारूप, नैदानिक स्थापन (रजिस्ट्रीकरण और विनियम) अधिनियम, 2010 (2010 का 23) की धारा 52 की अपेक्षानुसार भारत सरकार के स्वास्थ्य और परिवार कल्याण मंत्रालय, स्वास्थ्य और परिवार कल्याण विभाग की अधिसूचना संख्यांक सा.का.नि. 441(अ) तारीख 5 मई, 2017 द्वारा भारत के राजपत्र असाधारण, भाग-II, खंड-3, उपखंड (i) में प्रकाशित किया गया था जिसमें उससे प्रभावित होने वाले सभी व्यक्तियों से आक्षेप और सुझाव मांगे गए थे;

और जनता से प्राप्त आक्षेपों और सुझावों पर केंद्रीय सरकार द्वारा सम्यक रूप से विचार किया गया है;

अतः अब केंद्रीय सरकार उक्त अधिनियम की धारा 52 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, नैदानिक स्थापन (केंद्रीय सरकार) नियम, 2012 का और मंशोधन करने के लिए निम्नलिखित नियम बनाती है, अर्थात्:-

नियम

- (1) इन नियमों का संक्षिप्त नाम नैदानिक स्थापन (केंद्रीय सरकार) मंशोधन नियम, 2018 है।
(2) ये राजपत्र में उनके प्रकाशन की तारीख को प्रवृत्त होंगे।
- नैदानिक स्थापन (केंद्रीय सरकार) नियम, 2012 में (जिसे इसमें इसके पश्चात उक्त नियम कहा गया है), नियम 2 में, खंड (ख) के पश्चात, निम्नलिखित खंड अंतःस्थापित किया जाएगा, अर्थात्:-
'(खख) "अनुसूची" में इन नियमों से मंलग्न अनुसूची अभिप्रेत है।'

- "8क. चिकित्सा नैदानिक प्रयोगशाला (या रोग विज्ञान प्रयोगशालाएं) के लिए न्यूनतम मानक-निदान या रोगों के उपचार में संबंधित प्रत्येक नैदानिक स्थापन, जहां प्रयोगशाला या अन्य चिकित्सीय उपस्कर की सहायता से विकृति विज्ञान, जीवाणु विज्ञान, आनुवंशिकी, विकिरण विज्ञान, रासायनिक, जैविक अन्वेषण या नैदानिक या जांच पड़ताल संबंधी सेवाएं प्रायः की जाती हैं, वे अनुसूची में यथा विनिर्दिष्ट सुविधाओं और सेवाओं के न्यूनतम मानकों का पालन करेंगे।"

- ## अनुसूची

क्र.सं. (1)	प्रयोगशाला का प्रकार (2)	बुनियादी कम्पोजिट (3)	माध्यम (4)	उन्नत (5)
I	सेवा का विस्तार	ये जांच (जैसाकि नीचे उल्लिखित है) विस्तार स्थलों पर भी मोबाइल प्रयोगशाला में भी किए जा रहे हैं।	बुनियादी कम्पोजिट प्रयोगशाला की जाने वाली जांच के अतिरिक्त, नीचे उल्लिखित जांच सहित।	मध्यम प्रयोगशाला में की जाने वाली जांच के अतिरिक्त, अतिरिक्त जांच जैसे नीचे उल्लिखित सहित।
	(क) जीव रसायन	नेमी जीव रसायन परीक्षण जैसे ब्लड शुगर, रीतल फेक्शन परीक्षण, लिबर फेक्शन परीक्षण, एमाइज्ड एमाइज्ड, सिरेडि प्रोफाईल, मेग्रेटो स्पाइनल फ्लूइड (मीगसाफ) और अन्य जैविक तरल पदार्थ (ग्लूकोज़ प्रोटीन), ओरल ग्लूकोजटॉलरेंस परीक्षण, इलेक्ट्रोलाइट्स, कैल्शियम अथवा फास्फेट, एचबीए 1 सी किमी भी शुल्क रसायन विज्ञान आधारित पैपिड परीक्षण।	हार्मोन जैविक परीक्षण, ब्लूगर मार्कर, प्लाज्मा प्रोटीन इलेक्ट्रोफोरेसिस	(क) जमाबट प्रोफाईल, ड्रग मॉनिटरिंग और रिपायन्ता परख। (ख) आणविक आनुवंशिक, चयापचय की जन्मजात दोषों का पता लगाने की जांच।
	(ख) हेमेटोलॉजी	हैमोग्राम, रक्तचाप का समय, कर्नाडिंग समय, प्रोथ्रोम्बिन समय, सक्रिय आंशिक थ्रोम्बोप्लास्टिन समय, और सुमेलन रक्त समूह	कोरुल्युलेशन परख	अन्य सभी हेमेटोलॉजी परीक्षण भी।
	(ग) हिस्टोबिज्ञान विज्ञान	शून्य	उपकरण और विशेषज्ञ की उपलब्धता के तहत किया जा सकता है	हिस्टोबिज्ञान विज्ञान जांच
	(घ) आणविक जेनेटिक्स	शून्य	उपकरण और विशेषज्ञ	आणविक आनुवंशिकी

			की उपलब्धता के तहत किया जा सकता है	
	(इ.) माइटोपाथोलॉजी	शून्य	पीएपी स्मीयर, फाईन सुई एग्जिशन साइटोलॉजी (एफएनएसी), स्पुटम और सीएसएफ साइटोलॉजी	इम्यूनो माइटोकेमस्ट्री और अन्य जैविक फ्ल्यूइड माइटोकेमस्ट्री; अल्ट्रासाउंड और सीटी निर्देशित एफएनएसी
	(च) इम्यूनो-हिस्टोबिकृति विज्ञान	शून्य	शून्य	इम्यूनोहिस्टो- पाथोलॉजी :
	(छ) चिकित्सा सूक्ष्म जीव विज्ञान और इम्यूनोलॉजी	संक्रमण के लिए रैपिड परीक्षण (प्लाइंट ऑफ केयर परीक्षण) जैसे बैक्टीरिया जांच, मूत्र नियमित जांच और माइक्रोस्कोपी, बित्रियो के लिए हैमिंग ड्रॉप कोलेरा, आवा के लिए स्टूल, गिस्ट, सभी एचआईवी पॉजिटिव तीव्र एम्स के अगले स्तर पर नैदानिक प्रयोगशाला में पुष्टि की जरूरत है।	(क) बायरम, बैक्टीरिया, कवक, परजीवी के लिए सीरोलॉजिकल परीक्षण (ख) कल्चर (ग) मेमिटिविटी जांच: बैक्टीरिया या फंगल (ग) ग्राम स्टैन के अलावा अन्य विशेष स्टैन	(क) बायरम, के लिए कल्चर मेमिटिविटी जांच, (ख) वास्तविक समय बहुलक श्रृंखला प्रतिक्रिया जांच (ग) संक्रामक रोगों के लिए उत्पन्न निदान जांच

II	असंरचना	बैक्टीरियल कम्पोजिट	मध्यम	उत्तम
----	---------	---------------------	-------	-------

1. साइनेज

(क) मृत मकन - मृच्छि क मीनर या बाहर मक मकन उपलब्ध कराया जाना चाहिए जिसमें निम्नलिखित जानकारी अंतःस्थापित है।	आवश्यक	आवश्यक	आवश्यक
(ख) योग्यता और रजिस्ट्रीकरण संख्या के साथ प्रभागी व्यक्ति का नाम	आवश्यक	आवश्यक	आवश्यक
(ग) प्रदान की जाने वाली व्यापक सेवाएं अर्थात् ट्रेमेटोलॉजी, जीव विज्ञान, नैदानिक बिकृति विज्ञान, हिस्टोलॉजी, माइटोलॉजी, आण्विक जेनेटिक्स- जो भी लागू हो	आवश्यक	आवश्यक	आवश्यक
(घ) विभिन्न परामर्शदाताओं का समय	वांछनीय	आवश्यक	आवश्यक
(ङ.) नियुक्ति के लिए इंटरनेट सुविधा या टेलीफोन और मोबाइल नंबर	वांछनीय	वांछनीय	वांछनीय
(च) फीस संरचना: जांच के प्रकार और फीस सहित अलग से प्रदर्शित किया जाना चाहिए,	आवश्यक	आवश्यक	आवश्यक

अर्थात् विशेष और नियमित जांच			
2. सुरक्षा संकेत (जहां भी लागू हो)			
(क) सुरक्षा खतरा और मानवधानी के संकेत - बायोमेट्रिकल डब्ल्यूएस्सी रंगीन डिब्बे और बैग में बायोमेट्रिकल अपशिष्ट प्रबंधन नियम 2016 के अनुसार रेडियोधर्मी पदार्थ, जहरीले रसायन, माइक्रोबियल एजेंट, संक्रमित जैविक सामग्री सहित अलग करना।	आवश्यक	आवश्यक	आवश्यक
(ख) समुचित अग्नि निकास संकेत - न्यूनतम एक अग्नि शामक	बांछनीय	बांछनीय	आवश्यक
3. स्थान अपेक्षा			
(क) रजिस्ट्रीकरण और प्रतीक्षा कक्ष, सार्वजनिक उपयोगिता, सुरक्षित पेयजल इत्यादि।	बांछनीय	आवश्यक	आवश्यक
(ख) नमून संग्रह विस्तार	आवश्यक	आवश्यक	आवश्यक
(ग) परीक्षा कक्ष और परीक्षा कक्ष के लिए उपकरण	आवश्यक	आवश्यक	आवश्यक
(घ) निरीक्षण	आवश्यक	आवश्यक	आवश्यक
(ङ) रिपोर्टिंग और विलिंग विस्तार	आवश्यक	आवश्यक	आवश्यक
(च) स्टाफ रूम और चिकित्सक का ड्यूटी कक्ष - पुरुष और महिला अलग-अलग जहां 24 घंटे सेवाएं उपलब्ध हैं।	बांछनीय	बांछनीय	आवश्यक
(छ) बगैचे धोने का कमरा	आवश्यक	आवश्यक	आवश्यक
(ज) नमूने और ग्लाइड का संरक्षण	आवश्यक	आवश्यक	आवश्यक
(झ) विद्युत सुविधाएं	आवश्यक	आवश्यक	आवश्यक
(ञ) विशेषता वाले उपकरणों जैसे फ्लो साइटोमेट्री, कैमील्यूमीनेंस, एलिसा परीक्षण उपकरण आदि के लिए नापमान नियंत्रण।	आवश्यक	आवश्यक	आवश्यक
(ट) एचआईवी के लिए परामर्श कक्ष	आवश्यक, यदि एचआईवी जांच किया जाता है	आवश्यक, यदि एचआईवी जांच किया जाता है	आवश्यक, यदि एचआईवी जांच किया जाता है
(ठ) नमूना संग्रह के लिए सभी	बांछनीय	बांछनीय	बांछनीय

	मर्जीजों के लिए एफएलएमसी कक्षा			
	(ड) इम्यूनोफ्लोरोसेस के लिए डार्करूम	अपेक्षित नहीं	अपेक्षित नहीं	आवश्यक
	(घ) प्रोजेन अनुभाग सुविधाएं	अपेक्षित नहीं	आवश्यक	आवश्यक
	4. फर्नीचर और फिक्स्चर	आवश्यक	मेवा के विस्तार के अनुसार आवश्यक	मेवा के विस्तार के आवश्यक
	5. संचार प्रणाली - समय निर्धारण (अपॉइंटमेंट) के लिए टेलीफोन और मोबाइल नंबर	वांछनीय	वांछनीय	वांछनीय
	6. वॉश बेसिन	आवश्यक	आवश्यक	आवश्यक
III	मानव संसाधन			
	प्रयोगशाला के तकनीकी अध्यक्ष या विशेषज्ञ या अधिकृत हस्ताक्षरकर्ता की नियुक्ति अवधि	वांछनीय: किसी मान्यता प्राप्त विश्वविद्यालय / संस्थान में बैचलर ऑफ मेडिसिन एवं बैचलर ऑफ सर्जरी (एमबीबीएस) "जहाँ प्रयोगशाला के परिणामों का निर्वहन अथवा उसके संबंध में राय की अपेक्षा हो, तो रजिस्ट्रीकृत बैचलर ऑफ मेडिसिन एवं बैचलर ऑफ सर्जरी (एमबीबीएस) चिकित्सक आवश्यक है।"	आवश्यक: विकृति विज्ञान / जीव रसायन / चिकित्सा सूक्ष्म जीव विज्ञान / प्रयोगशाला चिकित्सा में डॉक्टर ऑफ मेडिसिन (एमडी) या डिप्लोमा ऑफ नेशनल बोर्ड (डीएनबी) या क्लिनिकल विकृति विज्ञान में डिप्लोमा (डीसीपी) या बैचलर ऑफ मेडिसिन और बैचलर ऑफ सर्जरी (एमबीबीएस) उपर्युक्त विषयों में से किसी डॉक्टर ऑफ फिल (पीएचडी)। किसी एक या डॉक्टर ऑफ फिलामफी (पीएचडी)। वांछनीय: अन्य विशेषज्ञता की यदि कोई विशेष जांच की जाती है तो वांछनीय है कि वहां उसी का विशेषज्ञ पूर्णकालिक अंशकालिक अथवा आउट आउट आधार पर हो। वांछनीय: अन्य विशेषज्ञता की यदि कोई विशेष जांच की जाती है तो यह वांछनीय है कि वहां उस विषय का विशेषज्ञ पूर्णकालिक अथवा अंशकालिक अथवा आउटगोर्स आधार पर हो। विशेष परीक्षण का मतलब है कि वृत्तियादी संमिश्र प्रयोगशाला में सूचीबद्ध वृत्तियादी सूचीबद्ध वृत्तियादी	आवश्यक: विकृति विज्ञान / रसायन / चिकित्सा सूक्ष्म जीव विज्ञान / प्रयोगशाला चिकित्सा में डॉक्टर ऑफ मेडिसिन (एमडी) या डिप्लोमा ऑफ नेशनल बोर्ड (डीएनबी) या क्लिनिकल विकृति विज्ञान में डिप्लोमा (डीसीपी) या बैचलर ऑफ मेडिसिन और बैचलर ऑफ सर्जरी (एमबीबीएस) उपर्युक्त विषयों में से किसी डॉक्टर ऑफ फिल (पीएचडी)। वांछनीय: अन्य विशेषज्ञता की यदि विशेष जांच की जाती है तो वांछनीय है कि वहां उसी का विशेषज्ञ पूर्णकालिक अंशकालिक अथवा आउट आउट आधार पर हो। विशेष परीक्षण का मतलब है कि वृत्तियादी संमिश्र प्रयोगशाला में सूचीबद्ध वृत्तियादी

उदाहरणार्थ:

(i) जीव रसायन और सूक्ष्म विज्ञान में संबंधित विशेष परीक्षा की सूचना क्रमशः एमडी/डीए जीव रसायन एमडी/डीएनबी माइक्रोबायोलॉजी द्वारा दी जाती चाहिए।

			जीव रसायन, हेमटोलॉजी, या चिकित्सा मूक्षम जीव विज्ञान के नैतिक परीक्षणों के अलावा अन्य कोई परीक्षण। उदाहरणार्थ: (i) जीव रसायन और मूक्षम जीव विज्ञान से संबंधित विशेष परीक्षा की सूचना क्रमशः एमडी/डीएनबी जीव रसायन तथा एमडी/डीएनबी माइक्रोबायोलॉजी द्वारा दी जानी चाहिए। (ii) बायोफ़ी/साइटोलॉजी तमूने संबंधी सूचना एमडी/डीएनबी पैथालॉजी उपाधिधारक व्यक्ति द्वारा दी जानी चाहिए।	(ii) बायोफ़ी/साइटोलॉजी तमूने संबंधी सूचना एमडी/डीएनबी पैथालॉजी उपाधिधारक व्यक्ति द्वारा दी जानी चाहिए।
	(ख) चिकित्सा प्रयोगशाला प्रोफ़ेसर्स के विद्योभा इलाका के चिकित्सा प्रयोगशाला प्रोफ़ेसर्स (एमएमसी) में विज्ञान स्नातक (बी.एससी) या किसी मान्यता प्राप्त विश्वविद्यालय या संस्थान से जैव रसायन/मूक्षम जीव विज्ञान में विज्ञान परा-स्नातक (एमएमसी) के साथ प्रयोगशाला तकनीशियनों की संख्या	आवश्यक : 1	आवश्यक : 2	आवश्यक : 4
	(ग) महयोगी स्टाफ (प्रयोगशाला सहायक अथवा प्रयोगशाला परिचर) स्टाफ के वेतन का रोस्टर स्टाफ की आवधिक स्वास्थ्य जांच और टीकाकरण	आवश्यक : 1	आवश्यक : 1	आवश्यक : 2
IV	उपकरण या उपस्कर या औषधियां			
	(क) न्यूनतम चिकित्सा निदान प्रयोगशाला उपस्करों की मात्रा सहित सूची	सेवा के विस्तार के अनुसार आवश्यक	सेवा के विस्तार के अनुसार आवश्यक	सेवा के विस्तार के अनुसार आवश्यक
	(ख) न्यूनतम चिकित्सा निदान प्रयोगशाला उपकरणों की मात्रा सहित सूची	सेवा के विस्तार के अनुसार आवश्यक	सेवा के विस्तार के अनुसार आवश्यक	सेवा के विस्तार के अनुसार आवश्यक

	(ग) गर्भ हत्या का अवनय या आटोकलेव द्वारा जीवाणुनाशन	आवश्यक	आवश्यक	आवश्यक
	(घ) आवश्यक प्रतिकर्षकों और उपभोग्य सामग्रियों की सूची	आवश्यक	आवश्यक	आवश्यक
	(ङ) त्याज्य वस्तुओं की सूची	आवश्यक	आवश्यक	आवश्यक
	(च) वार्षिक रखरखाव अनुबंध या व्यापक रखरखाव अनुबंध और उपस्कर के अभिलेख (लॉगबुक) की नीति	वांछनीय	वांछनीय	वांछनीय
V	विधिक या कानूनी अपेक्षाएं			
	राज्य या संघ राज्य क्षेत्रों के प्रदूषण नियंत्रण बोर्ड के साथ जैव-चिकित्सा अपशिष्ट प्रबंधन नियम 2016 के अंतर्गत रजिस्ट्रीकरण के लिए विधिक या कानूनी आवश्यकताएं जैसे रजिस्ट्रीकरण संख्या और समामि की तिथि, स्थल, अवस्थिति और पर्यावरण आवश्यकताओं को स्थानीय उप-नियमों के अनुसार होना चाहिए।	आवश्यक	आवश्यक	आवश्यक
VI.	रिकार्ड रखरखाव और रिपोर्टिंग			
	(क) सभी गैरियों की नमूना-वार और विशिष्ट नमूना-वार रिकार्ड रिकार्ड के लिए हिस्टोरिकल विज्ञान, माइटोलॉजी, टैमटोलॉजी और प्रयोगशाला औपधि।	आवश्यक (सभी क्लीनिकल स्थापना के लिए प्रदान की गई जानकारी और आंकड़ों को बनाए रखना)।	आवश्यक (सभी क्लीनिकल स्थापना के लिए प्रदान की गई जानकारी और आंकड़ों को बनाए रखना)।	आवश्यक (सभी क्लीनिकल स्थापना के लिए प्रदान की गई जानकारी और आंकड़ों को बनाए रखना)।
	(ख) मेडिको लीगल रिकार्ड, यदि लागू हो, (सुसंगत कानून के अनुसार)	आवश्यक	आवश्यक	आवश्यक
	(ग) प्रयोगशाला में काम करने वाले तकनीशियनों की अर्हता, प्रशिक्षण और अन्य जानकारी के उल्लेख सहित उनके रिकार्ड का रखरखाव	आवश्यक	आवश्यक	आवश्यक
	(घ) पुस्तकों या आवधिक या ई-पत्रिकाओं या कामपैक डिस्क (सीडी) सहित संदर्भ पुस्तकालय की उपलब्धता	वांछनीय	वांछनीय	वांछनीय
	(ङ) रिकार्ड के संरक्षण की अवधि (समय-समय पर यथा लागू)	आवश्यक	आवश्यक	आवश्यक
VII	बुनियादी प्रक्रियाओं के मानक			
	(क) संक्रमण नियंत्रण पद्धतियाँ-रायोमेटिकल	आवश्यक	आवश्यक	आवश्यक

अपशिष्ट प्रबंधन नियम 2016 के अनुसार			
(ख) सुरक्षा विचार – व्याज्य मृद्यों आदि का उपयोग	आवश्यक	आवश्यक	आवश्यक
(ग) रोगी सूचना और शिक्षा	आवश्यक	आवश्यक	आवश्यक
(घ) उपस्करणों और संकर्मकों के अंशकन(कैलिब्रेशन) की प्रक्रिया	आवश्यक	आवश्यक	आवश्यक
(ङ.) उपलब्ध सभी प्रक्रियाओं के मानक संचालन प्रक्रियाओं की पुस्तिका	आवश्यक	आवश्यक	आवश्यक
(च) शिकायत रजिस्ट्रीकरण और निपटान की क्रियाविधि	आवश्यक	आवश्यक	आवश्यक
(झ) बाह्य गुणवत्ता- आश्वासन योजना या अंतर्प्रयोगशाला तुलना यथा स्थिति रूप में गुणवत्ता नियंत्रण	बांछनीय	बांछनीय	बांछनीय
(ज) किए गए परीक्षणों की प्रवीणता परीक्षण संबंधी नीति।	बांछनीय	बांछनीय	बांछनीय

[फा. सं. जेड. 28013/40/2017-एमएम]

मुधीर कुमार, संयुक्त सचिव

नोट : मूल नियम तारीख 23 मई, 2012 की अधिमूचना संख्या मा.का.नि 387(अ) के तहत भारत के राजपत्र, असाधारण, भाग-II, धारा 3, उप धारा (i) में प्रकाशित किए गए हैं।

MINISTRY OF HEALTH AND FAMILY WELFARE

(Department of Health and Family Welfare)

NOTIFICATION

New Delhi, the 18th May, 2018

G.S.R. 468(E).—Whereas the draft of certain rules to amend the Clinical Establishments (Central Government) Rules, 2012 was published, as required under section 52 of the Clinical Establishments (Registration and Regulation) Act, 2010 (23 of 2010), in the Gazette of India, Extraordinary, Part II, Section 3, Sub-section (i) vide notification of the Government of India in the Ministry of Health and Family Welfare, Department of Health and Family Welfare, number G.S.R. 441(E), dated the 5th May, 2017 inviting objections and suggestions from all persons likely to be affected thereby;

And whereas objections and suggestions received from the public have been duly considered by the Central Government;

Now, therefore, in exercise of the powers conferred by section 52 of the said Act, the Central Government hereby makes the following rules further to amend the Clinical Establishments (Central Government) Rules, 2012, namely:—

RULES

- (1) These rules may be called the Clinical Establishments (Central Government) Amendment Rules, 2018.
- (2) They shall come into force on the date of their publication in the Official Gazette.
- In the Clinical Establishments (Central Government) Rules, 2012, (hereinafter referred to as the said rules), in rule 2, after clause (b), the following clause shall be inserted, namely:—
“(bb) “Schedule” means the Schedule appended to these rules”.
- In the said rules, after rule 8, the following rule shall be inserted, namely:—
“8A. Minimum Standards for Medical Diagnostic Laboratories (or Pathological Laboratories) — Every clinical establishment relating to diagnosis or treatment of diseases, where pathological, bacteriological,

genetic, radiological, chemical, biological investigations or other diagnostic or investigative services, are usually carried on with the aid of laboratory or other medical equipment, shall comply with the minimum standards of facilities and services as specified in the Schedule."

4. In the said rules, after rule 9, the following Schedule shall be inserted, namely:-

SCHEDULE

S. No.	Type of Laboratory	Basic Composite	Medium	Advanced
(1)	(2)	(3)	(4)	(5)
1	Scope of Services	These tests (as mentioned below) can be performed in mobile laboratory at field locations also.	In addition to the tests performed in basic composite laboratory, including tests mentioned as under.	In addition to tests performed in medium laboratory, additional tests mentioned as under.
	(a) Biochemistry	Routine Biochemistry tests like Blood Sugar, Renal Function Tests, Liver Function Tests, Amylase, Lipase, Lipid profile, Cerebro -Spinal Fluid (CSF) and other biological fluids (glucose and protein), Oral Glucose Tolerance Test, Electrolytes, Calcium or Phosphate, HbA1c, any bio chemistry based rapid test.	Hormone Bioassay, Tumor markers, plasma protein electrophoresis	(a) coagulation profile, Drug monitoring and toxicology assay. (b) Molecular genetics, tests for detection of inborn errors of metabolism
	(b) Haematology	Haemogram, Bleeding Time, Clotting Time, Prothrombin Time, Activated Partial Thromboplastin Time, Blood grouping and matching.	Coagulation Assay	All other Haematology tests also.
	(c) Histopathology	Nil	May do, subject to availability of equipment and specialist	Histopathology Examination
	(d) Molecular Genetics	Nil	May do, subject to availability of equipment and specialist	Molecular genetics
	(e) Cytopathology	Nil	PAP smear, Fine Needle Aspiration Cytology(FNAC), sputum and CSF cytology	Immuno Cytochemistry, Other biological fluid cytology; Ultrasound or C'T guided FNAC.
	(f) Immuno-histopathology	Nil	Nil	Immunohisto-chemistry:
	(g) Medical Microbiology & Immunology	Basic tests like Rapid Test (Point of Care tests) for infection, urine routine examination and microscopy, Hanging drop for Vibrio cholerae, Stool for ova ,cyst. All HIV positive rapid	(a) Serological tests for viruses, bacteria, fungi, parasites (b) Cultural Sensitivity tests: Bacterial or fungal (c) Other special stains besides Gram's stain	(a) Culture sensitivity tests for viruses. (b) Real Time Polymerase Chain Reaction (RTPCR) tests. (c) Tissue diagnosis test for infectious diseases.

		assays need to be confirmed from the next level diagnostic laboratory.		
II	INFRASTRUCTURE			
		Basic Composite	Medium	Advanced
	1. Signage			
	(a) Basic signage- A signage within or outside the facility should be made available containing the following information.	Essential	Essential	Essential
	(b) Name of the person-in-charge with qualification and registration number	Essential	Essential	Essential
	(c) Broad services provided i.e. Haematology, Biochemistry, Clinical Pathology, Histology, Cytology, Molecular Genetics- whichever is applicable	Essential	Essential	Essential
	(d) Timings of the different consultants	Desirable	Essential	Essential
	(e) Internet facility or Telephone and mobile number for appointment	Desirable	Desirable	Desirable
	(f) Fee structure: To be displayed separately including type of investigation and charges i.e., Special and routine tests	Essential	Essential	Essential
	2. Safety Signage (Wherever applicable)			
	(a) Safety hazard and caution signs - Biomedical waste segregated in coloured bins and bags as per Biomedical Waste Management Rules, 2016 including radioactive materials, toxic chemicals, microbial agents, infected biological material.	Essential	Essential	Essential
	(b) Appropriate Fire exit signages - Minimum one fire extinguisher	Desirable	Desirable	Essential
	3. Space requirement			
	(a) Registration and waiting room, public utilities, safe drinking	Desirable	Essential	Essential

	water etc.			
	(b) Sample collection area	Essential	Essential	Essential
	(c) Laboratory with adequate diffuse and spot lighting	Essential	Essential	Essential
	(d) Toilet	Essential	Essential	Essential
	(e) Reporting and billing area	Essential	Essential	Essential
	(f) Staff room and doctor's duty room - Male and female different where 24 hours services available	Desirable	Desirable	Essential
	(g) Washing room	Essential	Essential	Essential
	(h) Preservation of the specimens and slides	Essential	Essential	Essential
	(i) Electrical facilities	Essential	Essential	Essential
	(j) Temperature control for specialized equipment like flow cytometry and chemiluminescence equipment .ELISA test equipment etc.	Essential	Essential	Essential
	(k) Counselling room for HIV	Essential, if HIV test is done	Essential, if HIV test is done	Essential, if HIV test is done
	FNAC room for all patients for sample collection	Desirable	Desirable	Desirable
	(m) Dark room for Immuno-fluorescence	Not required	Not required	Essential
	(n) Frozen Section facilities	Not applicable	Essential	Essential
	4. Furniture and fixtures	Essential	Essential as per scope of services	Essential as per scope of services
	5 Communication system - Telephone and mobile number for appointment	Desirable	Desirable	Desirable
	6. Wash Basins	Essential	Essential	Essential
III	HUMAN RESOURCE			
	(a) Minimum qualification of Technical Head of Laboratory or Specialist or *Authorised Signatories. *The authorised signatory will be liable for authenticity of the laboratory test report.	Desirable: Bachelor of Medicine and Bachelor of Surgery (MBBS) from a recognised university institution. **Where ever interpretation of lab results or opinion there on are required, registered Bachelor of Medicine and Bachelor of Surgery (MBBS) medical practitioner is	Essential: Doctor of Medicine (MD) or Diplomate of National Board (DNB) in Pathology or Biochemistry or Medical Microbiology or Laboratory Medicine or Diploma in Clinical Pathology (DCP) or Bachelor of Medicine and Bachelor of Surgery (MBBS) with Doctor of Philosophy (PhD) in any	Essential: Doctor of Medicine (MD) or Diplomate of National Board (DNB) in Pathology or Biochemistry or Medical Microbiology or Laboratory Medicine or Diploma in Clinical Pathology (DCP) or Bachelor of Medicine and Bachelor of Surgery (MBBS) with Doctor of Philosophy (PhD) in

		essential.	of the subjects above. Desirable: If any special test of other speciality is done, it is desirable that specialist of that subject needs be there on full time or part time or outsourced basis. *Special tests means any other apart from routine basic biochemistry, haematology, or medical microbiology tests as listed in basic composite laboratory. Illustration: (i) <i>Special Tests pertaining to Bio-Chemistry and Micro-biology shall be reported by Doctor of Medicine (MD) or Diplomate of National Board (DNB) Bio-Chemistry and Doctor of Medicine (MD) or Diplomate of National Board (DNB) Micro-biology respectively.</i> (ii) <i>Biopsy or Cytology specimens has to be reported by a person possessing Doctor of Medicine (MD) or Diplomate of National Board (DNB) Pathology.</i>	any of the subjects above. Desirable: If any special test of other speciality is done, it is desirable that specialist of that subject needs be there on full time or part time or outsourced basis. *Special tests means any other apart from routine basic biochemistry, haematology, or medical microbiology tests as listed in basic composite laboratory. Illustration: (i) <i>Special Tests pertaining to Bio-Chemistry and Micro-biology shall be reported by Doctor of Medicine (MD) or Diplomate of National Board (DNB) Bio-Chemistry and Doctor of Medicine (MD) or Diplomate of National Board (DNB) Micro-biology respectively.</i> (ii) <i>Biopsy or Cytology specimens has to be reported by a person possessing Doctor of Medicine (MD) or Diplomate of National Board (DNB) Pathology.</i>
	(b) Number of laboratory technicians with Diploma in Medical Laboratory Technology (DMLT) or Bachelor of Science (BSc.) Medical Laboratory Technology (MLT) or Master of Science (M.Sc.) Bio-chemistry or Micro-biology qualification from a recognised university or institution.	Essential: 1	Essential: 2	Essential: 4
	(c) Support staff (Laboratory Assistant or Laboratory Attendant) Roster of salary of staff, Periodic health check-ups and vaccination of	Essential: 1	Essential: 1	Essential: 2

	staff			
IV	INSTRUMENTS OR EQUIPMENT OR DRUGS			
	(a) List of minimum medical diagnostics laboratory equipment with quantity	Essential as per scope of services	Essential as per scope of services	Essential as per scope of services
	(b) List of minimum medical diagnostics laboratory instruments with quantity	Essential as per scope of services	Essential as per scope of services	Essential as per scope of services
	(c) Sterilisation such as hot air oven or autoclave	Essential	Essential	Essential
	(d) List of reagents and consumables required	Essential	Essential	Essential
	(e) List of Disposables	Essential	Essential	Essential
	(f) Policy of annual maintenance contract or comprehensive maintenance contract and records for equipment (Log books)	Desirable	Desirable	Desirable
V	LEGAL OR STATUTORY REQUIREMENTS			
	Legal or statutory requirements such as registration under the provisions of Biomedical Waste Management Rules, 2016 with State or Union territories' Pollution Control Board with registration number and date of expiry, site, space, location and environmental requirements to be as per local bye-laws	Essential	Essential	Essential
VI	RECORD MAINTANENCE AND REPORTING			
	(a) Reports of all patients date wise and specialty wise for example: Histopathology, Cytology, Haematology and Laboratory Medicine.	Essential (Clinical, Establishment to maintain information and statistics provided)	Essential (Clinical Establishment to maintain information and statistics provided)	Essential (Clinical Establishment maintain inform and statistics provic
	(b) Medico legal records, if applicable (as per relevant law)	Essential	Essential	Essential
	(c) Record keeping of technicians working in laboratory indicating their details of qualification training and others	Essential	Essential	Essential
	(d) Availability of reference library including books or periodicals or e-journals or Compact Disc (CD)s	Desirable	Desirable	Desirable

	(e) Duration of preservation of record (as applicable from time to time)	Essential	Essential	Essential
VII	STANDARDS ON BASIC PROCESSES			
	(a) Infection Control practices – as per Bio Medical Waste Management Rules, 2016	Essential	Essential	Essential
	(b) Safety considerations- use of disposable needles etc	Essential	Essential	Essential
	(c) Patient Information and Education	Essential	Essential	Essential
	(d) Process of calibration of equipment and reagents	Essential	Essential	Essential
	(e) Booklet of Standard operating procedures of all procedures available	Essential	Essential	Essential
	(f) Grievance registration and disposal mechanism	Essential	Essential	Essential
	(g) Quality Control in the form of external quality assurance scheme or inter-laboratory comparison, as the case may be	Desirable	Desirable	Desirable
	(h) Policy of proficiency testing of tests performed	Desirable	Desirable	Desirable

[F. No. Z. 28013/40/2017-MS]

SUDHIR KUMAR, Jr. Secy.

Note: The principal rules were published in the Gazette of India, Extraordinary, Part II, Section 3, sub-section (i) vide notification number G.S.R. 387(E), dated the 23rd May, 2012.