



Chandigarh Pollution Control Committee
Ground Floor, Paryavaran Bhawan, Sector 19-B, Madhya Marg
Chandigarh-160019

Form IV
(See Rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of Health Care Facility(HCF),or Common Bio-medical Waste Treatment Facility (CBMWTF)]

Return No : 480064

Period : 2022

1. Particulars of the Occupier	
(i) Name of the authorized person (Occupier or operator of facility):	Dr Jasbinder Kaur
(ii) Name of HCF or CBMWTF:	Government Medical College and Hospital
(iii) Address for Correspondence:	GMCH, Sector 32, Chandigarh
(iv) Address of Facility:	Sector 32, Chandigarh Sector 32 Po Chandigarh Chandigarh
(v) Tel. No.:	9646121532
(vi) Fax. No.:	0172 - 2609360
(vii) E-mail ID:	dpgmch-chd@gmch.gov.in
(viii) URL of Website:	
(ix) GPS coordinates of HCF of CBMWTF:	
(x) Ownership of HCF or CBMWTF:	State Government
(xi) Status of Authorization under the Bio-medical Waste Management Rules 2016:	Authorization No.: CPCC/2022/BMW/R/419048 Valid Upto: 31/08/2025
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto:
2. Type of Health Care Facility	
HCF/CBMWTF Type:	HCF
(i) No. of Beds(for Bedded Hospital):	860
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):	
(iii) Licence Number:	419048
(iv) Licence date of expiry:	31/08/2025
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 2,20,648.143 Red Category: 104,735.495 White Category: 1613.08 Blue Category: 25,736.88 General Solid Waste: 4,38,000
4. Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details	
(i) Details of the on-site storage facility:	Size: 950 Capacity: 1000 Provision of on-site storage: YES

Naup
30/5/23

to
30/5/23

(ii) Disposal Facility:	<table border="1"> <tr> <th>Type of Treatment Equipment</th> <th>Number of Units</th> <th>Capacity(Kg/day)</th> <th>Quantity Treated or Disposed(Kg/annum)</th> </tr> <tr> <td colspan="4">List is Empty</td> </tr> </table>	Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)	List is Empty			
Type of Treatment Equipment	Number of Units	Capacity(Kg/day)	Quantity Treated or Disposed(Kg/annum)						
List is Empty									
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0								
(iv) No of vehicles used for collection and transportation of BMW:	0								
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	<table border="1"> <tr> <th>Type of waste</th> <th>Quantity Generated</th> <th>Where disposal</th> </tr> <tr> <td colspan="3">List is Empty Kindly See ANNEXURE - I</td> </tr> </table>	Type of waste	Quantity Generated	Where disposal	List is Empty Kindly See ANNEXURE - I				
Type of waste	Quantity Generated	Where disposal							
List is Empty Kindly See ANNEXURE - I									
(vi) Name of the Common BMW Treatment Facility Operator through which wastes are disposed of:	M/S ALLIANCE ENVIROCARE PVT								
5. Do you have BMW management committee:	yes								
details:									
6. Training Conducted on BMW Details									
(i) Number of training conducted on BMW Management:	15								
(ii) Number of personnel trained:	600								
(iii) Number of personnel trained at the time of induction:	92								
(iv) Number of personnel not undergone any training so far:	0								
(v) Whether standard manual for training is available:	yes								
(vi) Any other information:									
7. Details of the accident occurred									
(i) No. of accident occurred:	0								
(ii) Number of the persons affected:	0								
(iii) Remedial Action taken:	0								
(iv) Any Fatality occurred, details:	0								
8. Are you meeting the standards of air Pollution from the incinerator?	0								
(i) How many times in last year could not met the standards?:									
Details of Continuous online emission monitoring systems installed:	0								
9. Liquid waste generated and treatment methods in place.	ETP under construction								
(i) How many times you have not met the standards in a year:									
10. Is the disinfection method or sterilization meeting the standards?	YES								
(i) How many times you have not met the standards in a year?:									
11. Any other relevant information:	The above mentioned all category waste is including covid and non covid waste								

Not
30/5/23

for
30/5/23

Jyotiinder
06/06/23

Name and Signature of the Head of the Institution

Director Principal

Govt. Medical College & Hospital,
Sector 32-A, Chandigarh

Government Medical College and Hospital, Sector 32, Chandigarh.

Page2

Date : 29/05/2023

Place : Sector 32 Po Chandigarh

Accepted
30/5/23

for
DMSI 30/5/23

Annexure Annual Report form IV Point no. 4 (ii)

Details of storage treatment, transportation, processing and disposal facility

(ii) Disposal Facility			
Type of treatment equipment	No. of Units	Capacity KG/day	Quantity Treated or disposed in kg per annum
Incinerators	0	0	0
Plasma Pyrolysis	0	0	0
Autoclaves	02	100 ltrs 150 ltrs	947.51 KG 4108 KG
Microwave	0	0	0
Hydroclave	0	0	0
Shredder	0	0	0
Needle tip cutter or destroyer	70	4.4 KG	1613 KG
Sharps	0	0	0
Encapsulation or concrete pit	0	0	0
Deep burial pits	0	0	0
Chemical disinfection:	0	0	0
Any other treatment equipment:	0	0	0

Naval
30/5/23

to DMSI
30/5/23