

LABORATORY(MICROBIOLOGY)			
TEST NAME	1- 5000/-	5001-25249/-	25250 & Above
XPRT HBV VIRAL LOAD CARTNDGE	1500	1890	3780
Dengue NS1 Ag	0	0	0
KALAAZAR	150	190	380
CRP/ C-REACTIVE PROTEIN	15	60	70
ADA- MTB	25	70	100
GALACTOMANNAN ANTIGEN TEST	500	630	1010
Gram Stain (Direct Smear Bacterial)	10	40	50
Dengue IgM	0	0	0
Stool culture and sensitivity	25	70	100
PBF FOR MALARIA PARASITE/ MICROFILARIA	10	40	50
LEPTOSPIRA IGM	30	70	130
Aspirate culture and sensitivity	25	70	100
Microscopy for Stool (Parasites)	10	40	50
Mycobacterial Culture	25	70	100
ASO	15	60	70
Throat Swab culture and sensitivity	25	70	100
Aerobic Culture	25	70	100
Dengue Serology	60	160	160
ANTI HAV IGM	0	0	0
SCRUB TYPHUS	30	70	130
Malaria Antigen Test	20	100	130
Faecal occult blood	10	40	50
XPRT HCV VIRAL LOAD CARTNDGE	1500	1890	3780
BRUCELLA IGM ELISA	50	130	190
CSF culture and sensitivity	25	70	100
Chikungunya	0	0	0
Direct smear Mycobacteria (Z.N. Stain)	10	40	50
Albert Stain (Direct Smear Bacterial)	10	40	50
ANTI HBSAB	100	130	190
Body fluid culture and sensitivity	25	70	100
HBsAg	100	260	380
URINE CULTURE AND SENSITIVITY	25	70	100
PCR	100	260	380
HSV 1 2 IgG	25	70	100
Rubella IgG	25	70	100
Toxoplasma IgG	25	70	100
FOR NEW TEST	50	130	190
Direct KOH examination for fungal hyphae	10	40	50
TPHA/ TP antibody test	20	60	70
Rubella IgM	25	70	100
FILARIA ANTIGEN TEST	50	100	130
Stool for hanging drop	10	40	50
Anti-HCV	50	100	130
HSV 1 2 IgM	25	70	100
Fungal Culture	25	70	100

RA FACTOR	15	60	70
AFB Staining/Z.N. Stain (Direct smear Mycobacteria)	0	0	0
Clostridium. difficile toxin	75	130	190
WIDAL TEST	15	60	70
HBeAg	50	130	190
PROCALCITONIN TEST	30	70	130
High vaginal swab culture and sensitivity	25	70	100
ANTI HEV IGM	0	0	0
CMV IgG	25	70	100
TPHA ELISA TEST	50	130	190
RPR /VDRL FOR SYPHILIS	15	60	70
Blood culture and sensitivity	25	70	100
Pus culture and sensitivity	25	70	100
Latex Agglutination test for cryptococcus	75	130	190
Toxoplasma IgM	25	70	100
SPUTUM FOR PCP STAINING	25	70	100
India Ink examination for Cryptococcus	10	40	50
CMV IgM	25	70	100
HBC IGM	0	0	0