

# HUMAN PAPILLOMA VIRUS

Papova virus (HPV)

Types

- >150

Sites

- Skin

- Mucosa

(Oral,Genitalia,Laryngeal)

## Clinical presentation

- Cutaneous warts

Common warts - 70% (approx.)

Plantar Warts - 30%

Flat warts - 4%

- Mucosal warts

Condyloma acuminata

# Verruca Vulgaris

(Common warts)

Type- 1-7, 9,

Site - Skin, trauma

Incubation -4 months

Mode -Auto inoculation/  
nail biting,shaving



## Clinically

- Raised, verrucous
- Papules, plaques
- Painful, tender

## Sites

- Hands, feet,  
periungual



## Extensive Lesion

- Organ Transplant
- Lymphoma
- Leukemia
- Immunosuppressents
- HIV



# Sub Types Common warts



(c) University Erlangen,  
Department of Dermatology  
Phone: (+49) 9131- 85 - 2727

# Verruca vulgaris



(c) University Erlangen,  
Department of Dermatology  
Phone: (+49) 9131- 85 - 2727

# Verruca vulgaris



DOIA  
(c) University Erlangen,  
Department of Dermatology  
Phone: (+49) 9131-85-2727

# Mosaic type



(c) University Erlangen,  
Department of Dermatology  
Phone: (+49) 9131-85-2727

# Filiform warts



# Plantar warts (mosaic)



(c) University Erlangen,  
Department of Dermatology  
Phone: (+49) 9131-85-2727

# Genital Warts



DOI

(c) University Erlangen,  
Department of Dermatology  
Phone: (+49) 9131- 85 - 2727



(c) University Erlangen,  
Department of Dermatology  
Phone: (+49) 9131- 85 - 2727

# Genital Warts



University Erlangen

# Genital Warts



DOIA

Erlangen,  
Dermatology  
9131-85-2727

# Genital Warts



DOIA

(c) University Erlangen,  
Department of Dermatology



DOIA

(c) University Erlangen,  
Department of Dermatology

Verruca plana



# Diagnosis

- Clinical features
  - Histopathology
  - Non-culturable
  - PCR
  - In situ DNA hybridization

# TREATMENT

## Cauterization

- Chemical
- Electric/Thermal
- Cryotherapy

## Surgery

- Paring
- Excision
- Curettage

## Keratolytics

- Salicylic acid
- Lactic acid
- Urea

## Plantar Warts

- Formalin 2% soaks
- 5-FU
- Levamisole
- Bleomycin

# Genital warts

## Podophyllin

- 20% (muco-cutaneous area)

## Contraindication

- Mucosal area
- Pregnancy
- Childhood

Imiquimod

- Immunomodulant

Interferons

- Systemic
- Intralesional

# Molluscum Contagiosum

- Pox virus(Largest)
- I.P. 2wks- 6 month



(c) University Erlangen,  
Department of Dermatology  
Phone: (+49) 9131- 85 - 2727

## Sites

- Trauma site

- Face,Limbs

## Clinically

- Umbilicated soft p



(c) University Erlangen  
Department of Dermatology  
Phone: (+49) 9131-85-2727

# Diagnosis

- Molluscum bodies
- Large hyaline bodies

# Treatment

- Cauterization



# Viral exanthems

Measles, Rubella, Roseola,

Inf. mononucleosis, HBV, HIV

-Morbilliform/maculopapular rash

Dengue

-Purpuric rash

# Viral exanthems

## Clinically

- Prodrome
- Exanthematous /enanthem rash
- Lymphadenopathy
- Systemic features

# Viral exanthems



# Rubella



# Measles



Enanthem



# Exanthema subitum

- HHV6,7
- High grade fever
- Blanchable erythema
- Slapped cheek appearance
- Asymptomatic

